

executeGwAction(); ** this will cause the execution of the gwAction, with name gwActionName, existing under the gwClass with name gwClassName * the gwAction will be invoked with the declared set of parameters, availables under the specified variables names ** @param gwActionName, String, required * @param gwClassName, String, required * @param functionParametersNames, String[], optional default [] * @param functionParameters, Object[], optional default [] * @returns ** Example:

```
var gwActionName = 'gwActionName';
var gwClassName = 'gwClassName';
var functionParametersNames = ['param1', 'param2'];
var functionParameters = ['abc', 123];

executeGwAction(gwActionName, gwClassName, functionParametersNames,
functionParameters);
```

executeGwAction()

This will cause the execution of the gwAction, with name gwActionName, existing under the gwClass with name gwClassName the gwAction will be invoked with the declared set of parameters, availables under the specified variables names

Parametri

- **gwActionName** String, required
- **gwClassName** String, required
- **functionParametersNames** String[], optional default []
- **functionParameters** Object[], optional default []

Esempi

[example.js](#)

```
var gwActionName = 'gwActionName';
var gwClassName = 'gwClassName';
var functionParametersNames = ['param1', 'param2'];
var functionParameters = ['abc', 123];

executeGwAction(gwActionName, gwClassName, functionParametersNames,
functionParameters);
```

From:
<https://wiki.geowebframework.com/> - **GeowebFramework**

Permanent link:
https://wiki.geowebframework.com/doku.php?id=custom:api_js_gw_action&rev=1655220025

Last update: **2022/06/14 17:20**

